	EPO; JPO; DERWENT	((brotect34 near) coarrig) sque (trexible trevibrity))	7907	ı
2003/05/08 13:45	DERWENT	ant pliability ductility))		
2003/05/08 10:32	DERWENT;	ct\$4 nea	3409	ı
2003/05/08 10:30	USPAT;	((protect\$4 near3 coating) same dot) and (flexible flexibility)	52	l
2003/05/06 14:31	USPAT;	((in\$1mold in\$1mould) with decoration)	120	1
2003/05/06 14:31	USPAT;	pliant pliability) same dot same coating ((in\$1mold in\$1mould) with decoration) or "IMD"	1577	ı
2003/05/06 14:30	USOCR	substrate same (flex flexible flexibility bend bendable bendability pliable	38	ı
2003/05/06 14:23	USPAT; EPO; JPO;	bendable)) and (cure cured curing))) substrate same (flex flexible flexibility bend bendable bendability pliable pliant pliability) same dot same coat\$3	72	ı
	CE XX			
2003/05/06 13:49	USPAT; EPO; JPO;	(cure cured curing)) not (((42)	269	ı
	DERWENT	(427/511) or (427/521) or (427/522) or (427/530) of (427/530) or (427/531).cciso, and ((((protective abrasion\$1resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)) and (cure cured curing))		
2003/05/06 12:16	USPAT;	6) or (427/282) or (427/372.2) or (427/384) or (427	5	I
2003/05/06 12:07	USPAT; EPO; JPO;	(((protective abrasion\$1resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)) and (cure cured curing)	274	ı
2003/03/06 12:0/	DERWENT	((protective abrasion\$1resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)	812	i
	USPAT; EPO; JPO; DERWENT	[as]) and (((427/256) or (4 /510) or (427/511) or (427/ )	2	1
	USPAT; EPO; JPO; DERWENT		956	l
2003/05/06 12:04	USPAT; EPO; JPO; DERWENT	((427/256) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/595)).CCLS.	6808	ı
2003/05/06 12:04	DERWENT USPAT; EPO; JPO; DERWENT	(ILLINOIS with TOOL with WORKS)[as]	5440	ı
2003/05/06 12:02	USPAT; EPO; JPO;	or ("4478977") ael[in]	0	ı
2003/06/18 14:32	USPAT	) or ("5085697") or ("5919834") or or ("4253908") or ("5824395") or		1
1	DB	Search Text	Hits	I. Nimber

WPF Ob/24/03

I	1	ı	1 1	1 1	F	I	1	1	I	1	1
18	20	4.	20198			4.	5040		Н		1
.872	2048	206		15	78	451		96	170	60	116
(protect\$3 near3 coat\$3) with (dot pattern discontinuous)	(protect\$3 near3 coat\$3) with (dot pattern discontinuous)	(protect\$3 near3 coat\$3) same (dot pattern discontinuous)	continuous)	n] 5948707[pn] '   "3978259"   "4098268"   "4194041"   "4443511"   "4464431"     "4925732"   "4989593"   "5016622"   "5026591"   "5061555"	((((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282)).CCLS.) and (dot point mottle stipple) and (flex flexible flexibiltiy bend bendability ductile ductility)) and ((protective protect protection) near3 coat\$3)	(((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282)).CCLS.) and (dot point mottle stipple) and (flex flexible flexibiltiy bend bendability ductile ductility)	((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282)).CCLS.	((protect\$4 near3 coating) same (flexible flexibility) same (pattern dot))	and (dot discrete distinct individual) ((protect\$4 near3 coating) same (flexible flexibility) same (pattern dot discrete individual isolated))	(protect\$4 near3 coating) same (flexible flexural flexibility bend table pliable pliant pliability ductility))) and (screen near3 print\$3))	(((protect\$4 near3 coating) same (flexible flexural flexibility bend bendable pliant pliability ductility))) and (screen near3 print\$3)
IBM TOB USPAT; EPO; JPO; DERWENT	DERWENT;  IBM TDB  USPAT;  US-PGPUB;  EPO; JPO;  DERWENT;	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	USPAT; USPAT; US-PGPUB;	USPAT USPAT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT;	USPAT; EPO; JPO;	USPAT; EPO; JPO;	USPAT; EPO; JPO;	USPAT; EPO; JPO; DERWENT
2003/06/19	2003/06/19	2003/06/19	2003/06/19 2003/06/19	2003/06/19 2003/06/19	2003/06/19	2003/06/18	2003/06/19	2003/05/08 14:37	2003/05/08	2003/05/08	2003/05/08
11:28	11:17	11:16	11:09 11:16	11:15 11:09	11:00	14:34	11:17	14:37	13:48	10:51	10:51

10569	(427/258) o	USPAT;	2003/06/19 11:28
	or (427/275) or (427/280) or (427/282) or (427/372.2) (427/510) or (427/511) or (427/521) or (427/522) or (264/35) or (264/238)).CCLS.	US-PGPUB; EPO; JPO; DERWENT;	
55	(protect\$3 near3 coat\$3) with (dot pattern discontinuous)) and (427/258) or (427/261) or (427/271)	USPAT;	2003/06/19 11:18
	or (427/275) or (427/281) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/585)	DERWENT	
w	(264/35) or (264/238)).CCIS.) ((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271)	IISOCR	2003/06/19 11:28
(	or (527/274) or (427/275) or (427/280) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or		H
229		IISOCR	2003/06/19 11.28
16	(427/271) or	USOCR	2003/06/19 11:28
	(427/510) or $(427/511)$ or $(427/521)$ or $(427/522)$ or $(264/35)$ or $(264/238))$ .CCLS.) and $((protect$3 near3 cc)$		
0	pattern /2.24[cc:	USPAT; EPO; JPO;	2003/06/19 12:29
13	(contact near3 lens) and (screen\$1print\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:25
147	(contact near3 lens) and (polyester with polycarbonate) and (flex\$4)	USPAT; EPO; JPO;	2003/06/19 12:30
0		USPAT; EPO; JPO; DERWENT	2003/06/19 14:49
0		USPAT; EPO; JPO; DERWENT	2003/06/19 12:30
1067	polyester with polycarbonate with alloy	USPAT; EPO; JPO;	2003/06/19 12:30
18	(polyester with polycarbonate with alloy) and (contact near3 lens)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:43
ω	3679504 [pn]	USPAT; EPO; JPO; DERWENT	2003/06/19 12:48
4	4405733[pn]	USPAT; EPO; JPO;	2003/06/19 12:59
0	and (	USPAT; EPO; JPO; DERWENT	2003/06/19 12:59
О	and s	USPAT; EPO; JPO; DERWENT	2003/06/19 12:59
		(1427/256) or (427/256) or (427/257) or (427/270) or (427/271) or (427/272) or (427/258) or (427/258) or (264/258) or (264/258) or (264/258) or (264/258) or (27/259) or (427/256) or (427/	(1427/256) or (1427/259) or (1427/267) or (1427/270) or (1

<del> </del>	DERWENT	(flex\$4) same eye)	10.2
	EPO; JPO;	351/177[ccls]) and ((contact near3 lens) same (hydrophilic	
2003/06/19 15:29	USPAT;	(427/2.24[ccls] 427/162[ccls] 427/164[ccls] 351/160R[ccls] 351/162[ccls]	27
	EPO; JPO;	351/177[ccls]) and ((contact near3 lens) same (mold mould) same print\$3)	
2003/06/19 15:21	USPAT;	6 (427/2.24[ccls] 427/162[ccls] 427/164[ccls] 351/160R[ccls] 351/162[ccls]	15
	DERWENT		
	EPO; JPO;		
2003/06/19 13:19	USPAT;	5   (427/373[ccls] 427/377[ccls] 427/378[ccls]) and ((stippl\$3 dot mottl\$3) same	
	DERWENT		
	EPO; JPO;		•
2003/06/19 13:18	USPAT;	(427/262[ccls] 427/267[ccls] 427/274[ccls] 427/280[ccls]) and (stippl\$3)	10
	DERWENT		
	EPO; JPO;	stipp1\$3)	
2003/06/19 13:07	USPAT; ~	0   (427/262[ccls] 427/267[ccls] 427/274[ccls] 427/280[ccls]) and (cur\$3 same	
	DERWENT		
	EPO; JPO;	stipp1\$3)	
2003/06/19 13:06	USPAT;	0   (427/262[ccls] 427/267[ccls] 427/274[ccls] 427/280[ccls]) and (cur\$3 same	
	DERWENT		
	EPO; JPO;		
2003/06/19 13:05	USPAT;	(stippl\$3 with cur\$3) and (contact near3 lens)	
	DERWENT		
	EPO; JPO;		
2003/06/19 13:03	USPAT;	stipp1\$3 with cur\$3	63
	DERWENT		
	EPO; JPO;		
2003/06/19 13:02	USPAT;	soft\$1cur\$3	_ _ აგ